



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D350-636-012
Job Sheet 195467



Part No: D350-636-012

Job Qty: 1 pcs

Part Name: Skidtube RH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 5/23/19

Job Tracking No:

Due Date: 6/10/19

Created By: Marie Lajeunesse

Type: SOLD

Description: *Order 16589*

Note: DWG D2750-042 REV.H IPP Rev:I 02.09.25 IPP Rev:J 06-03-23 As per Rev D IPP Rev:K 06-07.13 As per dsi9343 IPP Rev:L 07-07-28 Added SS Wearplates(Rev E) JLM Ver:EC IPP Rev:M 08-04-22 DD verified:EC IPP Rev:N 08-09-23 revF DD verified:ec IPP Rev:O 09-02-06 per PAR09-010 DD ver:EC IPP Rev:P 10.06.22 revise seq110 DD ver:EC IPP Rev:Q 10.10.01 as per JLN revH DDver:EC IPP REV:R 13.08.27 PER ECN13-594 DD VERF:JLM IPP REV:S 18.11.12 AS PER DWG REV.H DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
10	Skidtubes - 1	1 pcs		6/10/19	0.00	4.36	Skidtubes - 1		
							Skidtubes - 2		
							Skidtubes - 3		
							Skidtubes - 4		
							Skidtubes - 5		<i>BE</i>
							Skidtubes - 6		
							Skidtubes - 7		
20	QC 10	1 pcs		6/10/19	0.00	0.00	QC 10 - 10		
							QC 10 - 18		
							QC 10 - 24		
							QC 10 - 43		
							QC 10 - 50		
							QC 10 - 58		
							QC 10 - 9		
30	QC 5	1 pcs		6/10/19	0.00	0.00	QC 5 - 10		
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 68		
							QC 5 - 9		

Plex 5/23/19 10:27 AM Dart.lajeunesse.marie

S184749RH

140	Handfinish - 1-1 Chemical-B4B	1 pcs	6/10/19	0.00 0.91	QC 5 - 50	
					QC 5 - 30	
					QC 5 - 40	
					Handfinish - 1 - 1 - B4B	
					Handfinish - 1 - 2 - B4B	
					Handfinish - 1 - 3 - B4B	MAY 31 2019
					Handfinish - 1 - 4 - B4B	
					Handfinish - 1 - 5 - B4B	
					Handfinish - 1 - 6 - B4B	
					Handfinish - 1 - 7 - B4B	
					Handfinish - 1 - 8 - B4B	
					Handfinish - 1 - 9 - B4B	
					Handfinish - 1 - 10 - B4B	
					Handfinish - 1 - 11 - B4B	
					Handfinish - 1 - 12 - B4B	
					Handfinish - 1 - 13 - B4B	
					Handfinish - 1 - 14 - B4B	
					Handfinish - 1 - 15 - B4B	
					Handfinish - 1 - 16 - B4B	
					Handfinish - 1 - 17 - B4B	
					Handfinish - 1 - 18 - B4B	
					Handfinish - 1 - 19 - B4B	
					Handfinish - 1 - 20 - B4B	
					Handfinish - 1 - 21 - B4B	
					Handfinish - 1 - 22 - B4B	
150	QC 7	1 pcs	6/10/19	0.00 0.00	QC 7 - 10	
					QC 7 - 13	
					QC 7 - 14	
					QC 7 - 15	
					QC 7 - 17	
					QC 7 - 18	
					QC 7 - 19	
					QC 7 - 2	
					QC 7 - 28	
					QC 7 - 3	
					QC 7 - 30	
					QC 7 - 34	
					QC 7 - 36	
					QC 7 - 37	
					QC 7 - 41	
					QC 7 - 47	
					QC 7 - 48	
					QC 7 - 51	
					QC 7 - 58	
					QC 7 - 59	
					QC 7 - 60	MAG
					QC 7 - 9	
					QC 7 - 68	

				QC 7 - 50	
				QC 7 - 67	
				QC 7 - 40	
				QC 7 - 24	
				QC 7 - 43	
160 Skidtubes - 2 - B4B	1 pcs	6/10/19	0.00 4.36	Skidtubes - 1 - B4B	
				Skidtubes - 2 - B4B	
				Skidtubes - 3 - B4B	MLG
				Skidtubes - 4 - B4B	TF
				Skidtubes - 5 - B4B	AE
				Skidtubes - 6 - B4B	
				Skidtubes - 7 - B4B	
170 QC 10	1 pcs	6/10/19	0.00 0.00	QC 10 - 10	
				QC 10 - 18	DAS
				QC 10 - 24	24
				QC 10 - 43	9-89
				QC 10 - 50	
				QC 10 - 58	
				QC 10 - 9	
180 QC 5	1 pcs	6/10/19	0.00 0.00	QC 5 - 10	
				QC 5 - 12	
				QC 5 - 17	
				QC 5 - 18	
				QC 5 - 19	
				QC 5 - 22	
				QC 5 - 24	DAS
				QC 5 - 3	24
				QC 5 - 43	9-89
				QC 5 - 49	
				QC 5 - 51	
				QC 5 - 58	
				QC 5 - 68	
				QC 5 - 9	
				QC 5 - 50	
				QC 5 - 30	
				QC 5 - 40	
190 Handfinish - 2-1 Pressure-B4B	1 pcs	6/10/19	0.00 0.91	Handfinish - 2 - 1 - B4B	
				Handfinish - 2 - 2 - B4B	
				Handfinish - 2 - 3 - B4B	★ JUN 20 2019
				Handfinish - 2 - 4 - B4B	
200 Spray Paint - 2 - B4B	1 pcs	6/10/19	0.00 0.69	Spray Paint - 1 - B4B	AR 19-6-20
				Spray Paint - 2 - B4B	
				Spray Paint - 3 - B4B	
				Spray Paint - 4 - B4B	
205 Outsource	1 pcs	6/10/19		ATE003-VC	5 NR
210 QC 14	1 pcs	6/10/19	0.00 0.00	QC 14 - 15	ML 14-6-21
				QC 14 - 2	
				QC 14 - 34	
				QC 14 - 41	
				QC 14 - 51	
				QC 14 - 58	
				QC 14 - 59	
				QC 14 - 9	
				QC 14 - 68	
				QC 14 - 40	
				QC 14 - 19	
				QC 14 - 43	
				QC 14 - 24	

Plex 5/23/19 10:27 AM Dart.lajeunesse.marie

230 Handfinish - 4-1-Assembly-B4B	1 pcs	6/10/19	0.00 0.91	Handfinish - 4 - 1 - B4B	14 19-6-21
				Handfinish - 4 - 10 - B4B	
				Handfinish - 4 - 11 - B4B	
				Handfinish - 4 - 12 - B4B	
				Handfinish - 4 - 13 - B4B	
				Handfinish - 4 - 14 - B4B	
				Handfinish - 4 - 15 - B4B	
				Handfinish - 4 - 2 - B4B	
				Handfinish - 4 - 3 - B4B	
				Handfinish - 4 - 4 - B4B	
				Handfinish - 4 - 5 - B4B	
				Handfinish - 4 - 6 - B4B	
				Handfinish - 4 - 7 - B4B	
				Handfinish - 4 - 8 - B4B	
				Handfinish - 4 - 9 - B4B	
240 QC 5	1 pcs	6/10/19	0.00 0.00	QC 5 - 10	
				QC 5 - 12	
				QC 5 - 17	
				QC 5 - 18	
				QC 5 - 19	
				QC 5 - 22	
				QC 5 - 24	
				QC 5 - 3	
				QC 5 - 43	
				QC 5 - 49	
				QC 5 - 51	
				QC 5 - 58	
				QC 5 - 68	DAS JUN 21 2019 68
				QC 5 - 9	9-89
				QC 5 - 50	
				QC 5 - 30	
				QC 5 - 40	
250 Packaging 1-1 - Pick Kit - B4B	1 pcs	6/10/19	0.00 0.00	Packaging 1 - 1 - B4B	
				Packaging 1 - 2 - B4B	
				Packaging 1 - 3 - B4B	
				Packaging 1 - 4 - B4B	
				Packaging 1 - 5 - B4B	
				Packaging 1 - 6 - B4B	DAS
				Packaging 1 - 7 - B4B	28
				Packaging 1 - 8 - B4B	9-89
				Packaging 1 - 9 - B4B	
				Packaging 1 - 10 - B4B	
				Packaging 1 - 11 - B4B	
				Packaging 1 - 12 - B4B	
				Packaging 1 - 13 - B4B	
				Packaging 1 - 14 - B4B	
				Packaging 1 - 15 - B4B	
				Packaging 1 - 16 - B4B	
				Packaging 1 - 17 - B4B	
				Packaging 1 - 18 - B4B	
				Packaging 1 - 19 - B4B	
				Packaging 1 - 20 - B4B	
				Packaging 1 - 21 - B4B	
				Packaging 1 - 22 - B4B	

				Packaging 1 - 23 - B4B	
				Packaging 1 - 24 - B4B	
				Packaging 1 - 25 - B4B	
				Packaging 1 - 26 - B4B	
				Packaging 1 - 27 - B4B	
				Packaging 1 - 28 - B4B	
				Packaging 1 - 29 - B4B	
				Packaging 1 - 30 - B4B	
				Packaging 1 - 31 - B4B	
				Packaging 1 - 32 - B4B	
				Packaging 1 - 33 - B4B	
				Packaging 1 - 34 - B4B	
				Packaging 1 - 35 - B4B	
				Packaging 1 - 36 - B4B	
260	QC 4	1 pcs	6/10/19	0.00 0.00	QC 4 - 28
					QC 4 - 58
					QC 4 - 69
					QC 4 - 9
					QC 4 - 46
					QC 4 - 68
					QC 4 - 72
					QC 4 - 74
270	Packaging 3-1 - Stock - B4B	1 pcs	6/10/19	0.00 0.00	Packaging 3 - 1 - B4B
					Packaging 3 - 2 - B4B
					Packaging 3 - 3 - B4B
					Packaging 3 - 4 - B4B
					Packaging 3 - 5 - B4B
					Packaging 3 - 6 - B4B
					Packaging 3 - 7 - B4B
					Packaging 3 - 8 - B4B
					Packaging 3 - 9 - B4B
					Packaging 3 - 10 - B4B
					Packaging 3 - 11 - B4B
					Packaging 3 - 12 - B4B
					Packaging 3 - 13 - B4B
					Packaging 3 - 14 - B4B
					Packaging 3 - 15 - B4B
					Packaging 3 - 16 - B4B
					Packaging 3 - 17 - B4B
					Packaging 3 - 18 - B4B
					Packaging 3 - 19 - B4B
					Packaging 3 - 20 - B4B
					Packaging 3 - 21 - B4B
					Packaging 3 - 22 - B4B
					Packaging 3 - 23 - B4B
					Packaging 3 - 24 - B4B
					Packaging 3 - 25 - B4B
					Packaging 3 - 26 - B4B
					Packaging 3 - 27 - B4B
					Packaging 3 - 28 - B4B
					Packaging 3 - 29 - B4B
					Packaging 3 - 30 - B4B
					Packaging 3 - 31 - B4B
					Packaging 3 - 32 - B4B
					Packaging 3 - 33 - B4B
					Packaging 3 - 34 - B4B
					Packaging 3 - 35 - B4B
					Packaging 3 - 36 - B4B
275	DC - 1 - B4B	1	6/10/19	0.00 0.00	DC - 1 - B4B

Plex 5/23/19 10:27 AM Dart.lajeunesse.marie

			pcs		DC - 2 - B4B	JUN 27 2019
280	QC 21 - FG	1	6/10/19	0.00 0.00	QC 21 - FG - 21	DAS
		pcs			QC 21 - FG - 70	JUN 27 2019 70
					QC 21 - FG - 53	9-89

Part Op 110 - (Skid tubes) 1- Pick D2600-3 Bent Drill pilot holes as per Dwg D2750 sheet 4 (D2750-2 details). Drill using drill Jig
 Descriptions: DT8150 & DT8863A for second side only DT8863B for first side (detail K) 4- Locate DT8329 off of blade fitting bolt holes and drill pilot holes for blade fitting. Open to 0.500" using hole saw. VERIFY AND RECORD FWD BEND ANGLE. 6- Drill pilot holes for wearplates as per Dwg D2750 using DT8108 open to 0.297". 7- Open up holes of Detail J to 0.297" (total of 2 holes per side) 8- Weld D2744 Cap as per Dwg D2750 and QSI 004. Fill grooves in bend left from bending as per QSI 004 9- Grind welds flush as per Dwg D2750
 120 - (QC10- Inspect visual per QSI004- ground welds)
 130 - (QC5- Inspect part completeness to step on W/O)
 140 - (Chemical Conversion Coat per QSI005 4.1)
 150 - (QC7- Inspect Chemical Conversion Coat)
 160 - (Skid tubes) 1- Open up holes of Detail L using hole saw and ground handling to 0.625" (total of 8 holes per side) as per dwg D2750. 2- Open up holes of Detail K using hole saw to 0.750" (total of 4 holes per side) as per dwg D2750. 3- Open float holes using uni-bit to .500" (4 per Side) 4- Chamfer holes of Detail K, L, ground handling and float holes per dwg D2750 (welding instructions on sheet 9) 5- Deburr and blow out all chips from inside of tube 6- Prepare tube for welding, remove alodine as required. 7- Bond web D2739 in place as per QSI 015, let cure for 12hrs. A/R Sikaflex-291 batch: 5174342 exp. date: 12/68/19 **ATTN: USE I-BEAM LOCATION AID (BLADE FITTING)** 8- Weld spacers D3490-1, D3490-3 and D2743 as per dwg D2750 & QSI004 (welding instructions on sheet 9) A/R Aluminum Rod batch: 139011 9- At section AP-AP drill out x-bolt spacer to 0.404" 10- Grind welds flush as per Dwg D2750 11- Spot face ground handling holes section (total of 4 places per side) as per dwg D2750 12- Deburr holes, ensure tube is free of all scratches before sending to paint.
 170 - (QC10- Inspect visual per QSI004- ground welds)
 180 - (QC5- Inspect part completeness to step on W/O) ***VERIFY C'BOARD IS GOOD***
 190 - (Pressure Wash per QSI005 4.3/ Clean and remove all markings) Re-alodine tube as per QSI 005 section 4.1.2.1 do not acid etch.
 200 - (Spray Paint / NDT Room) 1- PRIME AS PER DWG AND QSI 005 4.2 PRIMER PRC DESOTO 515X349 BATCH: 3189640 2- PAINT WHITE AS PER DWG AND QSI 005 4.2 PAINT BATCH: 5188315
 210 - (QC14- Inspect Spray Paint) Inspect for foreign object per QSI 024
 230 - (Assemble as per dwg) 1- Install inserts as per dwg D2750 2- Inspect for Foreign Objects 3- Install blade fitting D3488-042, wearshoes and ground handling hardware as per dwg D2750 SIKA FLEX 241 BATCH: _____ EXP DATE: _____ 4- assemble o'ring to plug as per dwg D3492 and apply o'ring lube A/R 55-o'ring lube batch: _____ 5- Coat all exposed fasteners with "LPS Procyon" batch: _____
 240 - (QC5- Inspect part completeness to step on W/O)
 250 - (Pick Kit)
 260 - (QC4- 100% Inspect kits for completeness)
 270 - (Identify as per dwg & Stock Location: 89.8) Package as per PPP D350-636-012
 275 - (Document Control) record fwd angle: 89.8 Photocopy blue file and type labels per PPP D350-636-012 CHG 008
 280 - (QC21- Final Inspection - Work Order Release)

010562

Job BOM

010517

Part / Item	Component Name	Quantity	Operation	Container
D2600-3-BENT-RH	Extrusion Bent RH	1 pcs (1 ea)	110-Skidtubes - 1	5182195
D2744	Cap	1 pcs (1 ea)	110-Skidtubes - 1	5150391
D2739	350 I-Beam	1 pcs (1 ea)	160-Skidtubes - 2 - B4B	5180535
D2743	Crossbolt Spacer	8 pcs (8 ea)	160-Skidtubes - 2 - B4B	5182366
D3490-1	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B (x5)	5186298
D3490-3	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B	5188611
ALS4-1032-225	Rivnut	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B	5167517
AN3C5A	Bolt	34 Ea (34 ea)	230-Handfinish - 4-1-Assembly-B4B	5176455
AN3C6A	Bolt	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5174235
AN6C44A	Bolt	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5176396
AN8C35A	Bolt	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5167091
D2745	Bushing	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5182184
D3488-4	Blade Fitting, RH	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5180162
D3492-1	Plug	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5183175
D3492-3	Plug 5163290 (F)	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5181407 (x3)
D3537-1	Wearpad	3 pcs (3 ea)	230-Handfinish - 4-1-Assembly-B4B	5181203
D3631-1	Washer	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5184192
D3791-1	Wearpad	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5189075
D3793-1	Wearplate Fwd	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5187309
D3793-3	Wearplate Aft	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5187515
MS21043-6	Nut	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5181777
MS21083C8	Nut	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5167203
NAS1149C0332R	Washer	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B	5158079
NAS1149C0832R	Washer	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5076072
NAS1515H3L	Washer	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5083554
NAS1611-010	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5092499
NAS1611-013	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5170279
D3793-5	Wearpad	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5189162
AN8C21A	Bolt	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5160967
D2741	Replacement Blade	1 pcs (1 ea)	250-Packaging 1-1 - Pick Kit - B4B	5159549
D3493-1	Washer	2 pcs (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5171348
D3532-1	Spacer	2 pcs (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5163195
MS21083C8	Nut	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5167203
NAS1149D0863J	Washer	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5166718

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
110-Skidtubes - 1	D2600-3-BENT-RH	1	9	0
	D2744	1	9	0
160-Skidtubes - 2 - B4B	D2739	1	21	0
	D2743	8	199	0
	D3490-1	4	14	0
	D3490-3	4	26	0
	ALS4-1032-225	38	1,351	0
230-Handfinish - 4-1-Assembly-B4B	AN3C5A	34	1,520	0
	AN3C6A	4	261	0
	AN6C44A	4	168	0
	AN8C35A	1	48	0
	D2745	8	56	0
	D3488-4	1	14	0
	D3492-1	8	165	0
	D3492-3	8	107	0
	D3537-1	3	87	0
	D3631-1	8	92	0
	D3791-1	1	11	0
	D3793-1	1	12	0
	D3793-3	1	7	0
	D3793-5	1	7	0
	MS21043-6	4	211	0
	MS21083C8	1	163	0
	NAS1149C0332R	38	3,782	0
	NAS1149C0832R	1	326	0
	NAS1515H3L	4	302	0
	NAS1611-010	8	319	0
	NAS1611-013	8	200	0
250-Packaging 1-1 - Pick Kit - B4B	AN8C21A	2	81	0
	D2741	1	50	0
	D3493-1	2	39	0
	D3532-1	2	61	0
	MS21083C8	2	163	0
	NAS1149D0863J	2	441	0
Part Specifications				
Specifications could not be found.				

Plex 5/23/19 10:27 AM Dart.lajeunesse.marie

QTY -041	QTY -042	QTY -043	QTY -044	QTY -051	QTY -052	P/N	DESCRIPTION
X						D2750-041	350 SKIDTUBE ASSEMBLY, LH
	X					D2750-042	350 SKIDTUBE ASSEMBLY, RH
		X				D2750-043	350 SKIDTUBE ASSEMBLY, LH
			X			D2750-044	350 SKIDTUBE ASSEMBLY, RH
				X		D2750-051	350 SKIDTUBE ASSEMBLY, LH
					X	D2750-052	350 SKIDTUBE ASSEMBLY, RH
1	1	1	1	1	1	D2739	WEB
8	8	8	8	8	8	D2743	CROSS BOLT SPACER
1	1	1	1	1	1	D2744	CAP
8	8	8	8	8	8	D2745	BUSHING
1						D2750-1	350 SKIDTUBE ASSEMBLY
	1					D2750-2	350 SKIDTUBE ASSEMBLY
		1				D2750-3	350 SKIDTUBE ASSEMBLY
			1			D2750-4	350 SKIDTUBE ASSEMBLY
				1		D2750-5	350 SKIDTUBE ASSEMBLY
					1	D2750-6	350 SKIDTUBE ASSEMBLY
1		1		1		D3488-3	BLADE FITTING, LH
	1		1		1	D3488-4	BLADE FITTING, RH
4	4	4	4			D3490-1	CROSS BOLT SPACER
4	4					D3490-3	CROSS BOLT SPACER
		4	4			D3490-5	CROSS BOLT SPACER
8	8	8	8			D3492-041	PLUG
8	8					D3492-043	PLUG
		8	8			D3492-045	PLUG
3	3	3	3	3	3	D3537-1	WEARPAD
8	8	8	8	8	8	D3631-1	WASHER
1	1	1	1	1	1	D3791-1	WEARPLATE
1	1	1	1	1	1	D3793-1	WEARSHOE
1	1	1	1	1	1	D3793-3	WEARSHOE
1	1	1	1	1	1	D3793-5	WEARSHOE
38	38	38	38	38	38	ALS4-1032-225	INSERT
				1	1	AN3C34A	BOLT
34	34	34	34	34	34	AN3C5A	BOLT
4	4	4	4	4	4	AN3C6A	BOLT
4	4	4	4	4	4	AN6C44A	BOLT
1	1	1	1	1	1	AN8C35A	BOLT
				1	1	MS21043-3	NUT
4	4	4	4	4	4	MS21043-6	NUT
1	1	1	1	1	1	MS21083C8	NUT
38	38	38	38	38	38	NAS1149C0332R	WASHER
				2	2	NAS1149C0363R	WASHER
1	1	1	1	1	1	NAS1149C0832R	WASHER
4	4	4	4	4	4	NAS1515H3L	WASHER

NOTES:

- 1) MATERIAL: MAKE D2750-1/-2/-3/-4/-5/-6 FROM D2600-3 EXTRUSION (INITIAL LENGTH = 120.0).
- 2) FINISH: ACID ETCH, ALODINE ASSEMBLY PER DART QSI 005 4.1 PRIOR TO INSTALLING D2739 WEB. STANDARD: PRIME (REF. 4.2.1.3.3) AND PAINT WHITE PER DART QSI 005 4.2 OPTIONAL: POWDER COAT WHITE (REF. 4.3.5.1) PER DART QSI 005 4.3 BLACK ANTI-SKID PAINT AS INDICATED TO 1.0 ABOVE SKIDTUBE CENTER-LINE PER DART 005 4.4 (OPTIONAL).
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: D2750-041/-042/-043/-044 = 26.1 lbs
D2750-051/-052 = 25.7 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL ALS4-1032-225 INSERTS AFTER FINISH AS INDICATED. DRILL 19/64" SIZE HOLES ($\phi 0.297$) FOR WEARSHOE INSERTS
- 10) FINAL CONFIGURATION SHOULD HAVE THE FOLLOWING MINIMUM MECHANICAL PROPERTIES:
MINIMUM YIELD TENSILE STRENGTH = 35 KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
- 11) COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF FINISH WITH MEK DEGREASER.
- 12) SPACER AND PLUG INSTALLED SAME AS SECTION AJ-AJ EXCEPT HORIZONTAL
- 13) SPACER AND PLUG INSTALLED SAME AS SECTION AP-AP EXCEPT HORIZONTAL

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 195467MLS


19-05-23

RELEASED

2018 OCT 19
3.11.18.15

H	ADDED -051/-052 (ZN D5-1 SHEETS 4, 15-16); ADDED D2750-5/-6 (ZN C5-1 SHEETS 9, 10); D3488-3/-4 REPLACES D3488-041/-042 (ZN C5-1, D2-11/-12/-13/-14); D3793-5 REPLACES D3535-25 (ZN B6-1, C4-11/-12/-13/-14); NAS1149C0332R REPLACES AN860C10L (ZN A5-1, B1-11/-12/-13/-14, C7-11/-12/-13/-14); NAS1149C0832R REPLACES AN960C816L (ZN A5-1, C1-11/-12/-13/-14); REMOVED D3794-1/-3, AND D3536-25 GASKETS	ZF	18.03.05
G	CORRECTED TOLERANCE ON $\phi 0.500$ THRU HOLE: IS +0.01/-0.000, WAS +0.100/-0.000 (ZN B3-4, B2-5); ADD VIEW TO CONTROL FWD BEND ORIENTATION (ZN D-1/-4/-5/-6/-7); UPDATED FINISH OPTIONS; INSIDE OF TUBE NO LONGER SPRAYED WITH LPS-3. REASON: PAR13-276 AND NCR13-2757	MB	13.07.11
F	INCORPORATE DSI 9413; QTY (3) D3537-1 WAS QTY (5) (ZN C8-1); D3791-1/-3 REPLACES D3535-13/-35 (ZN C8-1); D3794-1/-3 REPLACES D3536-13/-35 (ZN B8-1); ADD D3791-1 (ZN C8-1); WEARSHOE HOLES UNDER FWD/AFT SADDLE REMOVED (8 PL); WEARSHOE HARDWARE QTY UPDATED (ZN B8-1); D3488-041/-042 HARDWARE UPDATED (ZN C1-8, 9, 10, 11); ADD NOTE 12 AND 13 (ZN A6-1); REASON: REF. NCR 08-043	PH	08.07.16
E	CHANGE TO STAINLESS STEEL WEARPLATES; ADD RUBBER GASKETS; CHANGE INSERTS; ADD D3631-1; REMOVE QTY (38) NAS1515H3L; REMOVE QTY (10) NAS1515H3L; REMOVE D2741; QTY (2) AN960C816; REMOVE QTY (2) MS21083C8	CB	07.05.17
D	ADD HOLES AND SPACERS FOR APICAL FLOATS; INCORPORATE DEO 9133/8157	PH	06.01.05
C	ADD D2750-3/D2750-4; INCORPORATE D2738 AND D2740	CP	98.11.18
B	CHANGE MS24694-S293 TO AN8-16A	CP	98.09.01
A	NEW ISSUE	DS	98.04.16
REV	DESCRIPTION	BY	DATE
DESIGN	MM	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	ZF		
CHECKED	MW	DRAWING NO.	REV. H
MFG. APPR.	DD	D2750	SHEET 1 OF 16
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE	18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

APPROVED




D2750-041 350 SKIDTUBE ASSEMBLY, LH

D2750-042 350 SKIDTUBE ASSEMBLY, RH

RELEASED
2018 OCT 19
2018 10 19

APPROVED

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MW	DRAWING NO.	REV. H
MFG. APPR.	DD	D2750	SHEET 2 OF 16
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE	18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




8 7 6 5 4 3 2 1

D


C

B

A



 **D2750-051 350 SKIDTUBE ASSEMBLY, LH**



 **D2750-052 350 SKIDTUBE ASSEMBLY, RH**

RELEASED

2018 OCT 19

APPROVED

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MW	DRAWING NO.	REV. H
MFG. APPR.	DD	D2750	SHEET 4 OF 16
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE	18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	


8 7 6 5 4 3 2 1

D


C

B


A




D2750-1 LH SKIDTUBE




DETAIL A
SCALE 2X




DETAIL B
SCALE 2X




DETAIL C
SCALE 2X




DETAIL D
SCALE 2X




SECTION E-E
SCALE 4X, 2 PL



SECTION F-F
SCALE 4X, 17 PL



SECTION G-G
SCALE 4X, 4 PL





SECTION H-H
SCALE 4X, 4 PL









RELEASED

2010 OCT 19

APPROVED	DESIGN	MM	DART AEROSPACE USA, INC. EUGENE, OR	
	DRAWN	ZF		
	CHECKED	MW	DRAWING NO.	REV. H
	MFG. APPR.	DD	D2750	SHEET 5 OF 16
	APPROVED	NO	TITLE	SCALE
	DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE		18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	





D2750-2 RH SKIDTUBE




RELEASED
2018 OCT 19


APPROVED	DESIGN	MM	DART AEROSPACE USA, INC. EUGENE, OR	
	DRAWN	ZF		
	CHECKED	MW	DRAWING NO.	REV. H
	MFG. APPR.	DD	D2750	SHEET 6 OF 16
	APPROVED	NO	TITLE	SCALE
	DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
	DATE	18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




D2750-3 LH SKIDTUBE




DETAIL S
SCALE 2X




DETAIL T
SCALE 2X




DETAIL U
SCALE 2X



SECTION V-V
SCALE 4X, 17 PL




SECTION W-W
SCALE 4X, 4 PL




SECTION X-X
SCALE 4X, 4 PL

RELEASED
2013 OCT 19


APPROVED	DESIGN	MM	DART AEROSPACE USA, INC.	
	DRAWN	ZF	EUGENE, OR	
	CHECKED	MW	DRAWING NO. D2750	REV. H
	MFG. APPR.	DD	SHEET 7 OF 16	
	APPROVED	NO	TITLE	SCALE
	DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
	DATE	18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




D2750-4 RH SKIDTUBE




DETAIL AA
SCALE 2X




DETAIL AB
SCALE 2X




DETAIL AC
SCALE 2X



SECTION AD-AD
SCALE 4X, 17 PL



SECTION AE-AE
SCALE 4X, 4 PL










SECTION AF-AF
SCALE 4X, 4 PL

APPROVED

DESIGN	MM	DART AEROSPACE USA, INC.
DRAWN	ZF	EUGENE, OR
CHECKED	MM	
MFG. APPR.	DD	
APPROVED	NO	
DATE	18.03.05	
TITLE	350 SKIDTUBE ASSEMBLY	
DE APPR.	DS	
SCALE	NTS	


RELEASED
2018 OCT 19

Copyright © 1998 by DART Aerospace USA, Inc.
This drawing is the property of DART Aerospace USA, Inc.
It is to be used only for the purpose intended and is not to be
reproduced or transmitted in any form without the written
permission of DART Aerospace USA, Inc.




RELEASED
2019 OCT 19


APPROVED	DESIGN	MM	DART AEROSPACE USA, INC.	
	DRAWN	ZF	EUGENE, OR	
	CHECKED	MW	DRAWING NO.	REV. H
	MFG. APPR.	DD	D2750	SHEET 9 OF 16
	APPROVED	NO	TITLE	SCALE
	DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
	DATE	18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



**MAX ALLOWABLE
TWIST ON FWD BEND
(VIEW LOOKING FWD)**



D3-10
DETAIL BP
SCALE 2X





B4-10
SECTION BS-BS
SCALE 4X, 4 PL


DESIGN		MM	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWING		2F		
CHECKED		MM	DRAWING NO.	REV. H
MFG. APPR.		DD	D2750	SHEET 10 OF 11
APPROVED		NO	TITLE	
DE APPR.		DS	350 SKIDTUBE ASSEMBLY	
DATE		10 09 06	COPYRIGHT © 1999 BY DART AEROSPACE USA, INC. 350 SKIDTUBE ASSEMBLY	

RELEASED
2019 OCT 19
ap

COPYRIGHT © 1996 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT







8

7

6

5

4

3

2

1

D

C

B


A

D

C

B


A




D2750-051 350 SKIDTUBE ASSEMBLY, LH



SECTION CR-CR
SCALE 3X, 4 PL



DETAIL CQ
SCALE 2X



SECTION CS-CS
SCALE 3X, 4 PL
(HARDWARE REMOVED FOR CLARITY)

RELEASED

2018 OCT 19

APPROVED	DESIGN	MM	DART AEROSPACE USA, INC.	
	DRAWN	ZF	EUGENE, OR	
	CHECKED	MW	DRAWING NO.	REV. H
	MFG. APPR.	DD	D2750	SHEET 15 OF 16
	APPROVED	NO	TITLE	SCALE
	DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE		18.03.05	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____


Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date : _____	Sequence #: _____	QTY Affected : _____		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐ ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled		FAULT CATEGORY ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S184749



Part: D350-636-012

Job No: 195467

Serial No/Batch: S184749

Revision: H

Inspector:

Exp Date:

Instructions: FAA STC SR00646SE 18/10/17 TC STC SH99 -
DART 18/10/17

5.0 PARTS LIST

D350-636-011/-012/-013/-014 SKIDTUBES AT CHG 008 AND SUBSEQUENT

D350-636-021/-022 SKIDTUBES AT CHG 001 AND SUBSEQUENT

Item	Qty -011	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
	X							D350-636-011	SKIDTUBE INSTALLATION, LH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
		X						D350-636-012	SKIDTUBE INSTALLATION, RH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
			X					D350-636-013	SKIDTUBE INSTALLATION, LH AIRCRAUSER/DART TRI-BAG FLOAT COMPATIBLE
				X				D350-636-014	SKIDTUBE INSTALLATION, RH AIRCRAUSER/DART TRI-BAG FLOAT COMPATIBLE
					X			D350-636-021	SKIDTUBE INSTALLATION, LH, STD
						X		D350-636-022	SKIDTUBE INSTALLATION, RH, STD
							X	D350-636-049	WEARSHOE KIT
1	1							D2750-041	SKIDTUBE ASSEMBLY, LH
1		1						D2750-042	SKIDTUBE ASSEMBLY, RH
1			1					D2750-043	SKIDTUBE ASSEMBLY, LH
1				1				D2750-044	SKIDTUBE ASSEMBLY, RH
1					1			D2750-051	SKIDTUBE ASSEMBLY, LH
1						1		D2750-052	SKIDTUBE ASSEMBLY, RH
*1	1							D2750-1	SKIDTUBE WELDMENT, LH
*1		1						D2750-2	SKIDTUBE WELDMENT, RH
*1			1					D2750-3	SKIDTUBE WELDMENT, LH
*1				1				D2750-4	SKIDTUBE WELDMENT, RH
1					1			D2750-5	SKIDTUBE WELDMENT, LH
1						1		D2750-6	SKIDTUBE WELDMENT, RH
**2	8	8	8	8	8	8		350A41-1027-20	SCREW
**3	8	8	8	8	8	8		23119AG120LE	WASHER
**4	8	8	8	8	8	8		22541N120	NUT
*5	1	1	1	1	1	1		AN8C35A	BOLT
*6A	1	1	1	1	1	1		NAS1149C0832R	WASHER
*7	1	1	1	1	1	1		MS21083C8	NUT
8	1		1		1			D3488-3	BLADE FITTING, LH
8		1		1		1		D3488-4	BLADE FITTING, RH
9	1	1	1	1	1	1		D2741	BLADE
10	2	2	2	2	2	2		AN8C21A	BOLT
11	2	2	2	2	2	2		NAS1149DO863J	WASHER
11C							8	D3672-1	WASHER
12	2	2	2	2	2	2		MS21083C8	NUT
*14	4	4	4	4	4	4		AN6C44A	BOLT
*15	8	8	8	8	8	8		D2745	BUSHING
*16	4	4	4	4	4	4		MS21043-6	NUT
*17	8	8	8	8	8	8		D3631-1	WASHER
*18	4	4	4	4	4	4		ALS4-1032-225	INSERT
*19	4	4	4	4	4	4		AN3C6A	BOLT
*20A	4	4	4	4	4	4		NAS1149C0332R	WASHER
*20B	4	4	4	4	4	4		NAS1515H3L	WASHER
*22	3	3	3	3	3	3	3	D3537-1	WEARPAD

• COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Revision: K

Date: 18.04.04

Item	Qty -011	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
*22A	1	1	1	1	1	1	1	D3791-1	WEARPLATE
*23A	1	1	1	1	1	1	1	D3793-1	WEARSHOE (REPLACES D3535-13)
*24A	1	1	1	1	1	1	1	D3793-5	WEARSHOE (REPLACES D3535-25)
*25A	1	1	1	1	1	1	1	D3793-3	WEARSHOE (REPLACES D3535-35)
*26A	34	34	34	34	34	34	34	AN3C5A	BOLT
*27	34	34	34	34	34	34	34	NAS1149C0332R	WASHER
*28	34	34	34	34	34	34	34	ALS4-1032-225	INSERT
*30	8	8	8	8				D3492-041	PLUG ASSEMBLY
*31	8	8						D3492-043	PLUG ASSEMBLY
*32			8	8				D3492-045	PLUG ASSEMBLY
***43	2	2	2	2				D3493-1	WASHER
50	2	2						D3532-1	SPACER
****97					1	1		AN3C34A	BOLT
****98					2	2		NAS1149C0363R	WASHER
****99					1	1		MS21043-3	NUT
100A							4	AN526C1032R10	SCREW
100B							4	AN526C1032R18	SCREW

* PART OF D2750-041/-042, D2750-043/-044 OR D2750-051/-052 ASSEMBLY

** TO BE SUPPLIED BY CUSTOMER

*** ONLY INSTALLED IF INSTALLING A DART FLOAT SYSTEM

***** PART OF D2750-051 OR D2750-052 ASSEMBLY

Change Record

PAGE 1 OF 1

Part Number: D350-636-011/-011GB/-012/-012GB

Description: SKIDTUBE STD LH/RH, FLOAT COMPATIBLE

[illegible]